

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(generat\$3 creat\$3) with (print\$3 near\$5 (order\$3 request\$3) with (predetermined\$3 based\$3) near\$4 (event\$3 setting\$3 attribut\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:32
		"0")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:45
		(automatically\$3 with print\$3 with (event\$3 criteria\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:45
		(automatically\$5 with (generat\$3 creat\$3 request\$3) with (print\$3) with (event\$3 trigger\$3 setting\$2 parameter\$2 attribute\$2) with (database\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:47
		(print\$3 with near\$2 report\$2 with change\$3 near\$2 (account\$3 profile\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/06 20:16
		(print\$3 with near\$2 report\$2 with change\$3 near\$2 (account\$3 profile\$3))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/06 20:16
		(new\$ near\$2 print\$3 near\$2 order\$2 same new\$3 near\$2 employee\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/04 10:39
L1	4754	(first near\$2 status\$2 same second near\$2 status\$2).dlm.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/23 11:23
L2	111	(first near\$2 status\$2 same second near\$2 status\$2 same	US-PGRUB; USPAT;	OR	OFF	2012/08/23 11:24

		contact\$3).clm.	USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
L3	4	(first near2 status\$2 same second near2 status\$2 same contact\$3 same print\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/23 11:24
S6	780	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:16
S8	8	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:35
S12	67976	(automatic\$5 near5 print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:37
S15	37	(automatically\$5 with (generat\$3 creat\$3 request\$3) with (print\$3) with (event\$3 trigger\$3 setting\$2 parameter\$2 attribute\$2) with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:47
S17	7220	(inventory\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:48
S19	290	(inventory\$3 same monitor\$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:49
S21	672	(inventory\$3).ti. and (print\$3) and (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 19:50
S23	56	(automatically\$5 with print\$3 with new\$2 near2 order\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:01
S25	128	(figure\$3 near2 "138" same automatically\$3)	US-PGPUB; USPAT;	OR	OFF	2011/11/21 20:08

			USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S27	23398	automatically\$3 same "138"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:09
S29	3571	automatically\$3 with "138"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S31	39	automatically\$3 with "138" with figure	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:10
S34	12	automatically\$3 with fig	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:16
S37	2378	automatically\$3 with "133"	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:17
S39	3955	(automatically\$3 with print\$3 with order\$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:18
S41	298	(automatically\$3 with print\$3 with criteria\$3)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:45
S47	2849	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3 event\$3 trigger\$2)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 20:50
S49	303	(automatically\$3 with print\$3 with subscriber\$2)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 21:55
S51	810	(automatically\$3 with print\$3 with event\$2)	US-PGPUB; USPAT;	OR	OFF	2011/11/21 21:58

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S54	2902	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 and database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:01
S56	495	(creat\$3 generat\$3) near4 print\$3 near2 (order\$3 request\$3) with (event\$3 trigger\$3 setting\$3 parameter\$3 attribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:14
S60	722	automatically\$3 same "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:24
S62	67	auto\$3 same print\$3 with new\$2 same event\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:25
S64	326	automatically\$3 with "138" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:26
S66	275	automatically\$3 with "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:28
S68	69	(print\$3 with order\$2 with event\$3 with occur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:29
S70	141	(generat\$3 creat\$3) with (print\$3 near5 (order\$3 request\$3) with (predetermined\$3 based\$3) near4 (event\$3 setting\$3 attribut\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:32
S72	123	event\$3 near4 base\$3 near5 printing\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 22:36
S74	60	(print\$3 same (change\$3 new\$2) same sale\$3 near4 database\$3)	US-PGPUB; USPAT;	OR	OFF	2011/11/21 22:40

			USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S76	42	(automatically\$3 with print\$5 with (chang\$3 new\$2) near5 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/21 23:51
S78	7365	(automatically\$3 and "133" and "138" and database\$2 and print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:36
S79	946	S78 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:37
S81	355	(automatically with shown\$2 with "133")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S83	381	(automatically with shown\$2 with "138")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:39
S85	116398	(automatically and print\$3 and database\$2 and network\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S87	79289	(automatically and print\$3 and database\$2 and event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:41
S90	43206	(automatically and print\$3 and database\$2 and event\$3) and generat\$3 and setting\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:43
S93	31	(print\$3 with based\$3 with event\$3 with predetermined\$3)	USPAT	OR	OFF	2011/11/22 00:51
S95	34	(trigger\$3 near5 event\$3 same sales\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:54

S98	143	(automatically\$3 with order\$3 with change\$2 with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 00:58
S101	46	("6405178").URPN.	USPAT	OR	OFF	2011/11/22 12:18
S106	325	(automatically\$5 with purchase\$3 with print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:12
S108	76	(automatically\$5 with print\$3 with selected\$3 near4 item\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:19
S114	46	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:39
S117	4320	(automatically\$3 same send\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S120	1162	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 13:40
S123	44	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/11/22 13:41
S126	34301	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 23:04
S127	9982	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/11/22 23:19
S129	10530	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:11

			DERWENT; IBM_TDB			
S130	2995	S129 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S131	6	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 with when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S132	7768	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S133	1986	S132 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S134	831	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S135	149	S134 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S136	8	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S137	2	S136 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S138	0	(automatica\$5) with (generat\$3 creat\$3 request\$3) with (print\$3 near2 order\$2) with (trigger\$3 event\$3 parameter\$2 attribute\$2 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S139	2	(automatica\$5) near4 print\$3 with (event\$3 trigger\$3 setting\$3) with (inventory\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:11

			DERWENT; IBM_TDB			
S140	70445	(automatic\$5 near5 print\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S141	27276	S140 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S142	9	(automatic\$5 near5 print\$3) with (when\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S143	38	(automatically\$5 with (generat\$3 creat\$3 request\$3) with (print\$3) with (event\$3 trigger\$3 setting\$2 parameter\$2 attribute\$2) with database\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S144	4	S143 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S145	7643	(inventory\$3).ti.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S146	1566	S145 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S147	315	(inventory\$3 same monitor\$3).ti.	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S148	70	S147 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S149	726	(inventory\$3).ti. and (print\$3) and (automatically\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:11

			DERWENT; IBM_TDB			
S150	117	S149 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S151	60	(automatically\$5 with print\$3 with new\$2 near2 order\$2)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S152	4	S151 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S153	128	(figure\$3 near2 "138" same automatically\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S154	0	S153 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S155	24055	automatically\$3 same "138"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S156	3703	S155 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S157	3756	automatically\$3 with "138"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S158	1032	S157 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S159	39	automatically\$3 with "138" with figure	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:11

			DERWENT; IBM_TDB			
S160	1	S159 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S161	0	automatically\$3 with "138" with fig	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:11
S162	12	automatically\$3 with fig	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S163	9	S162 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S164	0	automatically\$3 with "fig."	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S165	2504	automatically\$3 with "133"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S166	595	S165 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S167	4138	(automatically\$3 with print\$3 with order\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S168	1196	S167 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S169	325	(automatically\$3 with print\$3 with criteria\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:12

			DERWENT; IBM_TDB			
S170	34	S169 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S171	0	automatically\$3 with (generat\$3 creat\$3 request\$2) with print\$3 with when	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S172	2484672	automatically\$3 print\$3 with when	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S173	0	automatically\$3 with print\$3 with when	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S174	2758	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S175	2998	automatically\$3 near4 print\$3 near5 (parameter\$2 attribut\$3 setting\$3 request\$3 event\$3 trigger\$2)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S176	793	S175 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S177	319	(automatically\$3 with print\$3 with subscriber\$2)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S178	98	S177 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S179	849	(automatically\$3 with print\$3 with event\$2)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:12

			DERWENT; IBM_TDB			
S180	193	S179 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S181	6	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 with based\$2 near\$5 event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S182	3114	(automatically\$3 with (generat\$3 creat\$3 request\$3) with print\$3 and database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S183	468	S182 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S184	535	(creat\$3 generat\$3) near\$4 print\$3 near\$2 (order\$3 request\$3) with (event\$3 trigger\$3 setting\$3 parameter\$3 attribut\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S185	81	S184 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S186	17965	automatically\$3 same "133"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S187	1459	automatically\$3 same "133" and database\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S188	798	automatically\$3 same "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S189	96	S188 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:12

			DERWENT; IBM_TDB			
S190	70	auto\$3 same print\$3 with new\$2 same event\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S191	10	S190 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S192	364	automatically\$3 with "138" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S193	48	S192 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S194	303	automatically\$3 with "133" and database\$2 and print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S195	32	S194 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S196	72	(print\$3 with order\$2 with event\$3 with occur\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S197	10	S196 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S198	160	(generat\$3 creat\$3) with (print\$3 near5 (order\$3 request\$3) with (predetermined\$3 based\$3) near4 (event\$3 setting\$3 attribut\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S199	15	S198 and @ad< "20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:12

			DERWENT; IBM_TDB			
S200	132	event\$3 near4 base\$3 near5 printing\$3	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S201	19	S200 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S202	65	(print\$3 same (change\$3 new\$2) same sale\$3 near4 database\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S203	3	S202 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S204	45	(automatically\$3 with print\$5 with (chang\$3 new\$2) near5 database\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S205	3	S204 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S206	7918	(automatically\$3 and "133" and "138" and database\$2 and print\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S207	948	S206 and @ad<"20000110"	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S208	778	S207 and network\$3	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S209	370	(automatically with shown\$2 with "133")	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:12

			DERWENT; IBM_TDB			
S210	57	S209 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S211	393	(automatically with shown\$2 with "138")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S212	112	S211 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S213	129766	(automatically and print\$3 and database\$2 and network\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S214	11026	S213 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S215	88329	(automatically and print\$3 and database\$2 and event\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S216	8558	S215 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S217	82057	(automatically and print\$3 and database\$2 and event\$3) and generat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S218	48269	(automatically and print\$3 and database\$2 and event\$3) and generat\$3 and setting\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S219	4696	S218 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	OFF	2012/08/22 22:12

			DERWENT; IBM_TDB			
S220	65	("5383112").URPN.	USPAT	OR	OFF	2012/08/22 22:12
S221	36	(print\$3 with based\$3 with event\$3 with predetermined\$3)	USPAT	OR	OFF	2012/08/22 22:12
S222	13	S221 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S223	35	(trigger\$3 near5 event\$3 same sales\$3 near4 database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S224	0	S223 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S225	7	(automatically\$3 with order\$3 with new\$3 near4 business\$3 near5 card\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S226	156	(automatically\$3 with order\$3 with change\$2 with database\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S227	17	S226 and @ad<"20000110"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S228	3	("6405178").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S229	52	("6405178").URPN.	USPAT	OR	OFF	2012/08/22 22:12
S230	0	S229 and @ad<"20000110"	USPAT	OR	OFF	2012/08/22 22:12
S231	11	("4992940" "5091713" "5533079" "5608643" "5638519" "5808894" "5893076" "5930771" "6188991" "6233565" "6249774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2012/08/22 22:12
S232	2	("6453268").PN.	US-PGPUB;	OR	OFF	2012/08/22

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			22:12
S233	2	("6798997").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S234	354	(automatically\$5 with purchase\$3 with print\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S235	64	S234 and @ad< "20000110"	USPAT	OR	OFF	2012/08/22 22:12
S236	78	(automatically\$5 with print\$3 with selected\$3 near4 item\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S237	10	S236 and @ad< "20000110"	USPAT	OR	OFF	2012/08/22 22:12
S238	3	(sales\$3 near5 database\$3) with (print\$3) with (automatically\$3)	USPAT	OR	OFF	2012/08/22 22:12
S239	4	(sales\$3 near5 database\$3) with (print\$3) with (automatically\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S240	2	("5563999").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S241	0	(automatically\$3 with send\$3 with statement\$3 with new\$3 near4 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S242	49	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S243	2	S242 and @ad< "20000110"	USPAT	OR	OFF	2012/08/22 22:12
S244	49	(automatically\$3 same send\$3 same statement\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2012/08/22 22:12

			IBM_TDB			
S245	4740	(automatically\$3 same send\$3 same (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S246	445	S245 and @ad<"20000110"	USPAT	OR	OFF	2012/08/22 22:12
S247	1262	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S248	1262	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S249	131	S248 and @ad<"20000110"	USPAT	OR	OFF	2012/08/22 22:12
S250	47	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S251	47	(automatically\$3 with (send\$3 order\$3 print\$3) with (new\$3 updat\$3) same home\$3 near2 address\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/08/22 22:12
S252	0	S251 and @ad<"20000110"	USPAT	OR	OFF	2012/08/22 22:12
S253	2	("5563999").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S254	37274	(358/1.1, 358/1.9, 358/1.11-1.18).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S255	10530	(generat\$3 creat\$3 request\$3) with (print\$3) with (automatic\$5 when\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2012/08/22 22:12
S256	2053	S254 and S255	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	OFF	2012/08/22 22:12

				IBM_TDB				
--	--	--	--	---------	--	--	--	--

8/ 23/ 2012 11:29:00 AM

C:\Users\tpham12\Documents\EAST\Workspaces\East Searches\09479913-amend2.wsp